

Selected Topics in Adaptive Higher-Order FEM

P. Solin et al.
University of Nevada, Reno, USA
University of West Bohemia, Czech Republic



PANM 17, Dolní Maxov, June 8 - 13, 2014

- Team, collaborators, projects
- Higher-order finite elements
- Arbitrary-level hanging nodes
- hp -adaptivity and error estimation
- Adaptive multimesh hp -FEM
- Adaptive multimesh hp -FEM with dynamical meshes
- Time integration for adaptive hp -FEM
- Adaptive hp -FEM for eigenproblems
- NCLab - Public cloud computing platform
- ESCO 2014 (15 - 20 June 2014, Pilsen, Czech Republic)

Acknowledgment

Team (UNR & ZCU):

- M. Balek, V. Cerny, B. Chaber, B. Filon, M. Hanus, P. Karban, L. Korous, V. Kotlan, P. Kus, F. Mach, M. Novak, D. Panek, P. Solin, M. Zochniak

Collaborators (alphabetical):

- V. de Almeida, G. Hansen (nuclear engineering)
- G. Bebis (computer vision)
- K. Bekris (robotics)
- M. Braun, P. Winkler (quantum chemistry)
- I. Dolezel (electrical engineering)
- C. Evrensel (mechanical engineering)
- D. Koracin, I. Zaliapin (atmospherical sciences)
- J. Kruis (civil engineering)
- M. Kuraz (hydrology)
- D. Kuzmin, M. Moeller (computational fluid dynamics)

+ **around 50 contributors** to the open source projects HERMES and AGROS2D

Main Funding Source

U.S. DOE Nuclear Engineering University Partnership (NEUP) program

<http://hpfem.org/hermes>

Hermes = HighER-order Modular finite Element System

Highlights:


- 8 types of adaptive hp -FEM (incl. transient problems).
- Spaces H^1 , $H(\text{curl})$, $H(\text{div})$, L^2 + arbitrary combinations.
- Arbitrary-level hanging nodes in all spaces.
- 30 predefined time integration methods.
- Advanced methods for nonlinear problems.
- Monolithic multimesh hp -FEM for multiphysics coupled problems.
- Interface to major solver packages (MUMPS, PETSc, Trilinos, ...).

User documentation: <http://hpfem.org/hermes/doc>

Tutorial, examples, benchmarks: around 100 in total.





AGROS2D: Engineering Interface to HERMES

<http://agros2d.org>



- Multiplatform application for the solution of engineering problems
- Based on Nokia QT, developed at the University of West Bohemia


<http://nclab.com>




- Module = Geometry ed. + Mesh ed. + Problem ed. + FEM code + Postprocessor



Treating All Problems as Nonlinear






	Affine elements	<i>hp</i> elements
DOF	259393	6331
Error	1.617%	1.521%
Iterations	228	60
CPU time	34 min	11.58 sec

	Whitney edge elements	<i>hp</i> edge elements
DOF	2586540	4324
Error	0.6445%	0.6211%
CPU time	21.2 min	2.49 sec


Reproducible – examples available in the Hermes public Git repository

Let's do *hp*-FEM!




Sample problem with known exact solution.

Lesson one




$err = 2.7\%$



$err = 1.2\%$


Lesson one



$err = 2.7 \%$

$ndof = 705$

$err \cdot ndof = 1903$




$err = 1.2 \%$

$ndof = 2900$

$err \cdot ndof = 3480$


Lesson two



$err = 0.92 \%$

$ndof = 173$

$err \cdot ndof = 159$




$err = 1.2 \%$

$ndof = 2900$

$err \cdot ndof = 3480$


Lesson three



$err = 0.92 \%$

$ndof = 173$

$err \cdot ndof = 159$



$err = 1.02 \%$

$ndof = 457$


$err \cdot ndof = 466$

Conclusion



Powerful tools should be used with caution.


Remark #1



There is no higher-order method without adaptivity.

Remark #2 (for *hp*-FEM skeptics)

Things take time...



First microwave oven: 5.5 feet tall, 750 pounds, \$3,000. Water cooled.
Average annual income in 1946: \$2,600, average price of a new house: \$5,150.